

Cyclone

Lacto-fermented liquid fungicide and bactericide

For suppression of powdery mildew
on greenhouse cucumbers, on cannabis (marihuana) produced commercially
indoors and on greenhouse ornamentals including cut flowers; downy
mildew on greenhouse cucumbers bacterial canker on greenhouse tomatoes;
and
powdery mildew and black spot on greenhouse roses

COMMERCIAL

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

GUARANTEE:

Citric Acid..... 10.73 g/L
Lactic Acid..... 21.37 g/L
(present as fermentation products of *Lactobacillus casei* strain LPT-111)

WARNING: CONTAINS THE ALLERGEN MILK (whey protein)

REGISTRATION NUMBER: 30459
PEST CONTROL PRODUCTS ACT

CAUTION – SKIN IRRITANT
DANGER – EYE IRRITANT

NET CONTENTS : 4L -20L

Registered by:
AEF Global Inc.
925 des Calfats
Lévis, QC
G6Y 9E8
(418) 838-4441
Toll free help-line: 1-866-622-3222
www.aefglobal.com

Batch # : 00-000-00
Expiration date : 00/00/00

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DIRECTIONS FOR USE

Shake well before use. Foliar treatment for crops listed below.

Crop	Disease	Rate/Concentration	Foliar spray volume	Interval of application
Greenhouse Tomatoes	Bacterial canker (<i>Clavibacter michiganensis</i>)	2.4% dilution in water solution	Apply until runoff	5 – 10 days
Greenhouse Cucumbers	Powdery mildew (<i>Podosphaera xanthii</i> ; <i>Erysiphe cichoracearum</i> , syn. <i>Golovinomyces cichoracearum</i>)	1.2% dilution in water solution	Apply in sufficient spray volume to ensure thorough coverage.	7 – 10 days
	Downy mildew (<i>Pseudoperonospora cubensis</i>)	8% dilution in water solution	Apply until runoff	7 – 10 days
Greenhouse Roses	Black spot (<i>Diplocarpon rosae</i>)	1.5 – 2.5% dilution in water solution	800 L/ha	5 – 10 days
	Powdery mildew (<i>Sphaerotheca pannosa</i>)	1.5 – 2.5% dilution in water solution	800 L/ha	7 – 10 days
Greenhouse ornamentals including cut flowers	Powdery Mildew (<i>Podosphaera fusca</i> syn. <i>Podosphaera xanthii</i> ; <i>Golovinomyces cichoracearum</i> syn. <i>Erysiphe cichoracearum</i>)	2% dilution (20 L/1000 L water)	1000 L/ha	7 days
Cannabis (marihuana) produced commercially indoors)	Powdery mildew (<i>Golovinomyces cichoracearum</i>)	1.2% dilution (12 L/1000 L water)	1000 L/ha	7 -10 days

The product can leave white hydrosoluble residues on treated crop. The addition of Xiameter at 0.015% can reduce the apparition of the residues on fruit.

Use of surfactant Liberate at 0.25% (v/v) can help achieve better coverage of leaves and better efficacy. Other suggested surfactants: Agral 90 at 0.1% (v/v). Under conditions of moderate to high disease pressure, use the higher rate and shorter application intervals. For maximum effectiveness, apply Cyclone prior to, or at the early stages of disease development. Apply in sufficient volume to ensure full coverage for effective control. Use nozzles that will provide excellent coverage of the plant foliage (ex: ConeJet). The spray quality should be very fine. Both sides of leaves should be covered with the product.

Begin applications when conditions are conducive to disease development.

Do not re-enter or allow entry into treated areas until the spray is dried, up to 4 hours.

The pre-harvest interval (PHI) is 0 (zero) day.

Avoid application to reactive metals such as aluminum, tin, iron, or items such as fencing or lawn furniture in order to prevent staining, mottling, or otherwise interfering with finished metal surfaces.

Note: Follow instructions for mixing and applying this product carefully as this product may cause injury to crops and other plants.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT apply by air.

DO NOT allow effluent or runoff from greenhouses containing this product to enter lakes, streams, ponds or other waters.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Prolonged skin contact may cause irritation. Direct eye contact may cause irritation. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Wear long-sleeved shirts, long pants, water proof gloves, and eye goggles and shoes plus socks when handling, mixing, loading or applying, and during all clean-up/repair activities. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

DO NOT re-enter or allow entry into treated areas until the spray is dried.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an

ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically

ENVIRONMENTAL PRECAUTIONS

This product may cause injury to other plants if not mixed and applied properly. Follow instructions for mixing and applying carefully.

To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay.

Avoid application when heavy rain is forecast.

Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

STORAGE

Keep in a cool place, away from direct sun rays. After extended storage, shake or stir the product thoroughly to assure a uniform suspension. Keep from freezing. Store in original container out of reach of children.

DISPOSAL

DO NOT reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

PRODUCT USE INFORMATION

1-866-622-3222

WEB SITE

www.aefglobal.com